

SAFETY DATA SHEET **COLCLEAN ELECTRO 411L MC**

690290

SECTION 1: COMPANY AND MIXTURE IDENTIFICATION

1.1 Product Name: COLCLEAN ELECTRO 411L MC

1.2 Product Type and Use: Metal Finishing Additive

1.3 Manufacturer: Columbia Chemical Corp.

> 1000 Western Drive Brunswick, OH, 44212 330-225-3200

eh&s@columbiachemical.com

1.4 Emergency Telephone Numbers CHEMTEL

US & CANADA 800-255-3924 INTERNATIONAL 01-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the mixture according to GHS (EC 1272 -2008)

Skin Corr. 1B, H314

2.2 GHS Pictograms and H/P Statements



Signal Word: DANGER

Hazard and Precautionary Statements:

H314B: Causes severe skin burns and eye damage.

P264: Wash thoroughly after handling.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce

vomiting.

P310: Immediately call a POISON Center or doctor/physician.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all

Only Representative:

Campus Industrial Grand

Chalon Route de Demigny

Intertek France

Chalon Sur Saone

France, 71102 T: +33 (0) 385 99 1280

contaminated clothing. Rinse skin with water/shower.

P501: Dispose of contents/container in accordance with all

local/regional/national/international regulations.

2.3 Additional Information:

NONE

COLCLEAN ELECTRO 411L MC Page 2 of 5

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
POTASSIUM HYDROXIDE	CAS no. 1310-58-3 EC no. 215-181-3 Reach no. Low volume exemption JCSL no. 1-369	< 5%	Acute Tox. 4, H302 Skin Corr. 1A, H314
SODIUM METASILICATE	CAS no. 6834-92-0 EC no. 229-912-9 Reach no. Low volume exemption JCSL no. 1-508	< 5%	Skin Corr. 1B; H314 STOT SE 3; H335

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with flowing water for at least TWENTY (20) minutes. Call emergency medica

services.

Skin Contact: Flush exposed area with running water for at least TWENTY (20) minutes. Remove and isolate

contaminated clothing. Get medical attention.

Inhalation: Move exposed individual to fresh air. Give oxygen if breathing is difficult. Provide artificial respiration

using a mask equipped with a one-way valve if victim is not breathing. Call emergency medical

services.

Ingestion: Provide large quantities of water if victim is conscious and call emergency medical services immediately. Never give anything by mouth to an unconscious person.

4.2 Important symptons and effect

acute and delayed

Symptoms/Injuries: May cause eye irritation, burns or blindness.

Inhalation: Inhalation of mist may cause irritation of the respiratory system.

Skin contact: May cause severe burns. Symptoms might include pain, redness, and tissue damage.

Eye contact: May cause serious eye irritation and redness.

Ingestion: Sore throat. Abdominal pain, nausea. May cause burns or irritation of the linings of the mouth, throat

and gastrointestinal tract.

4.3 Indication of any immediate medical attention

and special treatment needed

5.3 Advice for firefighters

Seek immediate medical attention if splashed in eyes or if there is a difficulty in breathing while using

this product.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media Dry chemical powder. Water spray. Carbon dioxide (CO2)

5.2 Special Hazards from the mixture Mixture itself does not burn but may decompose upon heating to produce fumes. Cool

plastic drum, pail or tote containers which may swell or rupture upon heating.

Protection from firefighting: Use self-contained breathing apparatus and chemically protective clothing. For further

information refer to section 8, Exposure-controls/personal protection.

Other Information: Avoid eye and skin contact.

HMIS: 2-0-0-D

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment

and emergency procedures

6.1.1 Non-emergency personnelEnsure adequate ventilation, Use personal protective equipment. **6.1.2 Emergency responders**Ensure adequate ventilation, Use personal protective equipment.

6.2 Environmental precautions Avoid discharge into soil, water or air.

6.3 Containment and clean up

Methods for cleaning up:

May be hazardous to aquatic life if released to open waters. Carefully sweep up spilled material and

transfer to a suitable container for disposal, Contain spilled material and ventilate area.

Other information: Comply with local regulations for disposal.

6.4 Reference to other sections Refer to section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eye and clothing. Avoid breathing dust, mist or spray. Refer to section 8 for

exposure controls.

7.2 Storage and Incompatibles

Storage Condition(s):

Shelf life is two (2) years from date of manufacture.

Store tightly closed in a dry, cool and well-ventilated place.

Incompatible materials: Product may react with strong acidic and strong basic solutions.

Storage area: Floors should be impenetrable, resistant to liquids and easy to clean. Keep away from heat and direct

sunlight. Do not store near oxidizing agents. Store in dry,cool, well-ventilated area

7.3 Specific end use(s) Metal Finishing

COLCLEAN ELECTRO 411L MC Page 3 of 5

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

POTASSIUM HYDROXIDE (1310-58-3)

USA ACGIH-TEL 2.0 mg/m3

SODIUM METASILICATE (6834-92-0)

USA ACGIH - TEL 10 mg/m3 (as Si)

8.2 Exposure Controls

Exposure Controls: Maintain employee exposures to levels below the applicable exposure limits.

Ventilation: Use local or general exhaust to reduce airborne exposures.

Respiratory Protection: To reduce exposure a NIOSH-approved respirator should be used.

Hand Protection: Wear chemical resistant rubber gloves.

Eye Protection: Wear chemical safety glasses

Skin Protection: Wear protective clothing as appropriate.

Other: Launder contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic phyiscal and chemical properties

Clear yellow/amber liquid Flammability (solid,gas): No data available Appearance: Odour: No odor **Explosive Limits:** No data available **Odour Threshhold:** No data available Vapor Pressure: No data available > 12.0 Vapour Density: No data available pH: **Melting Point:** No data available Relative Density: 1.07 - 1.13 **Solidification Point:** No data available Solubility: Complete in water **Boiling Point:** No data available Self Ignition Temperature: No data available Flash point: No data available **Decomposition Temperature:** No data available Evap rate rel to butylacetate: No data available Viscosity: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Product is stable at normal conditions.

10.2 Chemical Stability Product is stable under normal conditions only. Product may not be stable under heat, moisture, pressure

ventilation or exposure to incompatible or reactive materials.

10.3 Possibility of hazardous reactions Product will not undergo polymerization.

10.4 Conditions to avoid Keep away from heat. Keep out of direct sunlight.

10.5 Incompatible materials Product may react with strong acidic and strong basic solutions.

10.6 Hazardous decomposition products Product contains some organic materials which may decompose into oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Toxicological effects

Acute toxicity: No known acute toxicity effects when used as directed.

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Respiratory or skin

No known respiratory or skin sensitization af

sensitization: Embryotoxic, Teratogenic, No known respiratory or skin sensitization affects when used as directed.

or Mutagenic:

None.

Carcinogenicity: None.
Reproductive or None.
Gonadotoxicity:

Specific target organ toxicity (sinlge exposure):

May cause respiratory irritation.

CARCINOGENS:

 IARC:
 NONE
 OSHA:
 NONE

 NTP:
 NONE
 EU:
 NONE

SECTION 12: ECOLOGICAL INFORMATION

COLCLEAN ELECTRO 411L MC Page 4 of 5

12.1 Toxicity Material is harmful to aquatic life if enough is released into waterways.

12.2 Persistence & DegradabilityNo persistence and biodegradability data available.

12.3 Bioaccumulative Potential No known bioaccumalative potential.

12.4 Mobility in Soil 12.5 PBT and vPvB AssessmentNo known mobility in soils.

A PBT or vPvB assesment

A PBT or vPvB assesment has NOT been completed for this product.

12.6 Other Adverse Effects No other adverse affects known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal: Dispose of this material and its container to hazardous or special waste collection point. Disposal must be done

according to official regulations. Do not empty into drain or the aquatic environment.

Ecology - waste materials: Dispose of all waste in accordance with federal, state, and local regulations.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT (Land) Department of Transportation

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM

HYDROXIDE AND SODIUM METASILICATE)

Hazard Class: 8
UN / NA Number: 3266
Packing Group: II

Labels Required: CLASS 8 CORROSIVE

Marine Pollutant: NONE

I.A.T.A / I.C.A.O. (AIR) International Air Transportation Authority / International Civil

Air Organization

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM

HYDROXIDE AND SODIUM METASILICATE)

Hazard Class: 8
UN / NA Number: 3266
Packing Group: II

Labels Required: CLASS 8 CORROSIVE

Marine Pollutant: NONE

I.M.D.G. (Sea) International Maritime Organization

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM

HYDROXIDE AND SODIUM METASILICATE)

Hazard Class: 8
UN / NA Number: 3266
Packing Group: II

Labels Required: CLASS 8 CORROSIVE

Marine Pollutant: NONE

ERG Info: GUIDE # 154

Reportable Quantity: NONE

Placard: AS REQUIRED

14.5 Environmental Hazards This mixture may be considered environmentally hazardous according to the UN Model Regulations and is

considered a marine pollutant according to the IMDG Code.

No other special precautions are required for transport of this mixture.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations.

Classification according to Directive 1999/548/EC

C: R34

DPD Pictograms

14.6 Special Precautions



COLCLEAN ELECTRO 411L MC Page 5 of 5

Risk and Safety Phrases:

R22, R34, R35, R37, S13, S24/25, S26, S36/37/39, S45

INGREDIENT	CAS NUMBER	CERCLA	SARA 313	SARA 302	REACH SVHC List	ROHS 2
POTASSIUM HYDROXIDE	1310-58-3	X				

NATIONAL INVENTORIES:

ECN (Taiwan): Components listed AICS (Australia): Components listed NDSL (Canada): Not all components listed DSL (Canada): Components listed NZIoC (New Zealand): Components listed ECL (Korea): Components listed PICCS (Philippines): Components listed EINECS (Europe): Components listed ENCS (Japan): SWISS (Switzerland): Status not determined Components listed TSCA (USA): Components listed IECSC (China): Components listed

WHMIS:

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this mixture by the supplier.

SECTION 16: OTHER INFORMATION

16.1 Method of Evaluation

Mixture hazard classification per UN GHS Purple Book, (EC) 1272/2008 Article 9(4), OSHA Haz-Com 2012.

16.3 Other Information

This information is provided in good faith from current, reliable sources and is believed to be correct. No warranty is expressed, implied, or given. The seller of this material assumes no responsibility for any damages resulting from contact with this material

16.4 Revision History 5/8/15: Rev. per GHS SDS. 11/13/13: New release.