

SAFETY DATA SHEET
COLFIN COPPER ANTIQUE BO-12
470100

SECTION 1: COMPANY AND MIXTURE IDENTIFICATION

1.1 Product Name: COLFIN COPPER ANTIQUE BO-12

1.2 Product Type and Use: Metal Finishing Additive

1.3 Manufacturer:

Columbia Chemical Corp.
1000 Western Drive
Brunswick, OH, 44212
330-225-3200
eh&s@columbiachemical.com

Only Representative:

Intertek France
Zi Ecoparc II
27400 Heudebouville
France
T: +33 (0) 385 99 1280

1.4 Emergency Telephone Numbers

CHEMTEL
US & CANADA 800-255-3924
INTERNATIONAL 01-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the mixture according to GHS (EC 1272 -2008)

Skin Sens. 1, H317
Resp. Sens. 1, H334
Carc. 1B, H350
Repr. 1B, H360
STOT RE 2, H373
Aquatic Chronic 2, H411

2.2 GHS Pictograms and H/P Statements



Signal Word: DANGER

Hazard and Precautionary Statements:

H317: May cause an allergic skin reaction.

H350 1B: May cause cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

P201: Obtain special instructions before use.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P314: Get medical advice/attention if you feel unwell.

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P391: Collect spillage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

H360 1B: May damage fertility or the unborn child.

H411: Toxic to aquatic life with long lasting effects.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P501: Dispose of contents/container in accordance with all local/regional/national/international regulations.

2.3 Additional Information:

NONE

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHANOIC ACID	CAS no. 64-19-7 EC no. 200-580-7 Reach no. 01-2119475328-30-0106 JCSL no. 2-688	< 2%	Skin Corr 1A, H314 Flam Liq 3, H226
TRADE SECRET	CAS no. T.S. EC no. T.S. Reach no. Low volume exemption JCSL no. T.S.	< 2%	Eye Irrit. 2, H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact:	Rinse under running water for several minutes.
Skin Contact:	Flush exposed area with running water for a few minutes.
Inhalation:	Move exposed individual to fresh air.
Ingestion:	Provide two glasses of water if victim is conscious and get medical attention. Never give anything by mouth to an unconscious person.

4.2 Important symptoms and effect

acute and delayed

Symptoms/Injuries:	Causes serious eye irritation, symptoms include redness and irritation.
Symptoms/injuries after inhalation:	In case of inhalation remove to fresh air. If symptoms persist get medical attention.
Symptoms/injuries after skin contact:	Causes skin irritation, symptoms include redness or irritation.
Symptoms/injuries after eye contact:	Causes serious eye irritation, symptoms include redness and irritation.
Symptoms/injuries after ingestion:	May be harmful if swallowed. Symptoms include nausea and possible irritation to mouth, throat and esophagus.

4.3 Indication of any immediate medical attention and special treatment needed

No immediate medical attention or special treatment should be required while using this product as specified.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry chemical powder. Water spray. Carbon dioxide (CO₂)

5.2 Special Hazards from the mixture

Mixture itself does not burn but may decompose upon heating to produce fumes. Cool plastic drum, pail or tote containers which may swell or rupture upon heating.

5.3 Advice for firefighters

Protection from firefighting:	Use personal protective equipment as described in section (8) of the MSDS.
Other Information:	Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8, Exposure-controls/personal protection.

Avoid eye and skin contact.

HMS: 2-0-0-D

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation, Use personal protective equipment.

6.1.2 For emergency responders

Ensure adequate ventilation, Use personal protective equipment.

6.2 Environmental precautions

Avoid discharge into soil, water or air.

6.3 Containment and clean up

Methods for cleaning up:	Contain spills, cover with absorbent, carefully sweep up material and transfer to a suitable container for disposal.
Other information:	Comply with local regulations for disposal.

6.4 Reference to other sections

Refer to section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin, eye and clothing. Avoid breathing dust, mist or spray. Refer to section 8 for exposure controls.

7.2 Conditions for safe storage, including any incompatibilities

Storage Condition(s):	Shelf life is two (2) years from date of manufacture Store tightly closed in a dry, cool and well-ventilated place.
Incompatible materials:	No specific materials to avoid when used under normal conditions.
Storage area:	Floors should be impenetrable, resistant to liquids and easy to clean. Keep away from heat and direct sunlight. Do not store near oxidizing agents. Store in dry, cool, well-ventilated area.
7.3 Specific end use(s)	Metal Finishing

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

ETHANOIC ACID (64-19-7) USA	ACGIH - TEL	25 mg/m3
TRADE SECRET (T.S.) USA	ACGIH - TEL	N/A

8.2 Exposure Controls

Exposure Controls:	Maintain employee exposures to levels below the applicable exposure limits.
Ventilation:	Use local or general exhaust to reduce airborne exposures.
Respiratory Protection:	Respiratory protection should not be required under normal use with proper engineering controls. A respiratory program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant use of a respirator.
Hand Protection:	Wear chemical resistant gloves when handling any chemical product.
Eye Protection:	Wear chemical safety glasses and/or face shield when handling chemical products.
Skin Protection:	Wear protective clothing as appropriate.
Other:	Laundry contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Slight Turbidity	Flammability (solid,gas):	No data available
Odour:	Slight odor	Explosive Limits:	No data available
Odour Threshold:	No data available	Vapor Pressure:	No data available
pH:	7.0-8.4	Vapour Density:	No data available
Melting Point:	No data available	Relative Density:	1.022-1.064
Solidification Point:	No data available	Solubility:	Complete in water
Boiling Point:	No data available	Self Ignition Temperature:	No data available
Flash point:	No data available	Decomposition Temperature:	No data available
Relat evapor rate comp to butylacetate:	No data available	Viscosity:	No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Product is stable at normal conditions.
10.2 Chemical Stability	Product may not be stable under heat, moisture, pressure, or exposure to incompatible materials.
10.3 Possibility of hazardous reactions	Product will not undergo polymerization.
10.4 Conditions to avoid	Keep away from heat. Keep out of direct sunlight.
10.5 Incompatible materials	Product may react with strong acidic and strong basic solutions.
10.6 Hazardous decomposition products	Product contains materials which may decompose into oxides of nitrogen and carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Toxicological effects

Acute toxicity:	No known acute toxicity effects when used as directed.
Skin corrosion/irritation:	Product should not be irritating to skin when used as directed.
Respiratory or skin sensitization:	No known skin sensitization affects when used as directed.
Embryotoxic, Teratogenic, or Mutagenic:	No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.
Carcinogenicity:	No components listed as carcinogen or suspect carcinogen by IARC, NTP, EU or OSHA at 0.1% or greater.
Reproductive Toxicity:	No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.
Specific Target Organ Toxicity (STOT):	No known Specific Target Organ Toxicity when used as directed.

CARCINOGENS :

IARC : NONE
NTP : NONE

OSHA : NONE
EU : NONE

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Material should not harm aquatic life, but avoid all releases to the aquatic environment.
12.2 Persistence & Degradability	No persistence and biodegradability data available.
12.3 Bioaccumulative Potential	No known bioaccumulative potential.
12.4 Mobility in Soil	Spillage of material can lead to penetration into soil and groundwaters.
12.5 PBT and vPvB Assessment	This product does NOT contain substances which are persistent , bioaccumulative and toxic, or substances that are very persistent or very bioaccumulative per REACH Annex XIII .
12.6 Other Adverse Effects	No other adverse affects known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal:	Dispose of this material and its container to waste collection point. Disposal must be done according to official regulations. Do not empty into drain or the aquatic environment.
Ecology - waste materials:	Dispose of all waste in accordance with federal, state, and local regulations.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT (LAND)	Department of Transportation
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS SELENIUM)
Hazard Class:	9
UN / NA Number:	3082
Packing Group:	III
Labels Required:	CLASS 9
Marine Pollutant:	YES
I.A.T.A / I.C.A.O. (AIR)	International Air Transportation Authority / International Civil Air Organization
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS SELENIUM)
Hazard Class:	9
UN / NA Number:	3082
Packing Group:	III
Labels Required:	CLASS 9
Marine Pollutant:	YES
I.M.D.G. (SEA)	International Maritime Organization
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS SELENIUM)
Hazard Class:	
UN / NA Number:	3082
Packing Group:	III
Labels Required:	CLASS 9
Marine Pollutant:	YES
ERG Info:	Not required.
Reportable Quantity:	None
Placard:	AS REQUIRED

14.5 Environmental Hazards	This mixture is not considered environmentally hazardous according to the UN Model Regulations and is not considered a marine pollutant according to the IMDG Code.
14.6 Special Precautions	No other special precautions are required for transport of this mixture.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations.

INGREDIENT	CAS NUMBER	CERCLA	SARA 313	SARA 302	REACH SVHC List	ROHS 2
ACETIC ACID	64-19-7	X				

NATIONAL INVENTORIES:

AICS (Australia):	Components listed	ECN (Taiwan):	Components listed
DSL (Canada):	Components listed	NDSL (Canada):	Not all components listed
ECL (Korea):	Status not determined	NZIoC (New Zealand):	Components listed
EINECS (Europe):	Components listed	PICCS (Philippines):	Components listed
ENCS (Japan):	Components listed	SWISS (Switzerland):	Status not determined
IECSC (China):	Components listed	TSCA (USA):	Components listed

WHMIS: Components listed as CANADA WHMIS Class E/B3 - Corrosive Material/ Combustible Material.

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this mixture by the supplier.

SECTION 16 : OTHER INFORMATION**16.1 Method of Evaluation**

Mixture hazard classification per UN GHS Purple Book, (EC) 1272/2008 Article 9(4), OSHA Haz-Com 2012.

16.3 Other Information

This information is provided in good faith from current, reliable sources and is believed to be correct. No warranty is expressed, implied, or given. The seller of this material assumes no responsibility for any damages resulting from contact with this material

16.4 Revision History

5/13/2020