

**SAFETY DATA SHEET**  
**COLSID AP CARRIER**  
410110

**SECTION 1: COMPANY AND MIXTURE IDENTIFICATION**

**1.1 Product Name:** COLSID AP CARRIER

**1.2 Product Type and Use:** Metal Finishing Additive

**1.3 Manufacturer:**

Columbia Chemical Corp.  
1000 Western Drive  
Brunswick, OH, 44212  
330-225-3200  
eh&s@columbiachemical.com

**Only Representative:**

Intertek France  
Campus Industrial Grand  
Chalon Route de Demigny  
Chalon Sur Saone  
France, 71102  
T: +33 (0) 385 99 1280

**1.4 Emergency Telephone Numbers** CHEMTEL  
US & CANADA 800-255-3924  
INTERNATIONAL 01-813-248-0585

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the mixture according to GHS (EC 1272 -2008)**

Eye Irrit. 2A, H319

**2.2 GHS Pictograms and H/P Statements**



Signal Word: **WARNING**

**Hazard and Precautionary Statements:**

H319: Causes serious eye irritation

P264: Wash thoroughly after handling.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P337+P313: If eye irritation persists: Get medical advice/attention.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362: Take off contaminated clothing and wash before reuse.

**2.3 Additional Information:**

None

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BETA-NAPHTHOLETHOXYLATE	CAS no. 35545-57-4 EC no. 609-139-7 Reach no. Low volume exemption JCSSL no. 7-168	< 10%	Acute Tox. 4, H302
AMINES, TERT ALKYL, ETHOXYLATED SULFATES SODIUM SALTS	CAS no. 72379-24-9 EC no. None Reach no. Low volume exemption JCSSL no. 7-77	< 8%	Eye Irrit. 2, H319
SODIUM BENZOIC ACID	CAS no. 532-32-1 EC no. 208-534-8 Reach no. Low volume exemption. JCSSL no. 3-1293, 3-1272, 3-1076	< 3 %	Eye Irrit. 2, H319
SODIUM ETASULFATE	CAS no. 126-92-1 EC no. 204-812-8 Reach no. Low volume exemption JCSSL no. 2-2840, 2-1679	< 2%	Skin Irrit. 2; H315 Eye Irrit. 2, H319
SULFURIC ACID	CAS no. 7664-93-9 EC no. 231-639-5 Reach no. Low volume exemption JCSSL no. 1-430	< 1%	Skin Corr. 1A, H314

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Eye Contact:	Rinse under running water for several minutes.
Skin Contact:	Flush exposed area with running water for a few minutes.
Inhalation:	Move exposed individual to fresh air.
Ingestion:	Provide two glasses of water if victim is conscious and get medical attention. Never give anything by mouth to an unconscious person.

**4.2 Important symptoms and effect acute and delayed**

Symptoms/Injuries:	Causes serious eye irritation.
Symptoms/injuries after inhalation:	In case of inhalation remove to fresh air. If symptoms persist get medical attention.
Symptoms/injuries after skin contact:	May cause skin irritation or redness to some individuals.
Symptoms/injuries after eye contact:	Causes serious eye irritation. Symptoms might include redness and irritation.
Symptoms/Injuries after ingestion:	May be harmful if swallowed. Symptoms include nausea and possible irritation to mouth and throat.

**4.3 Indication of any immediate medical attention and special treatment needed**

No immediate medical attention or special treatment should be required while using this product as specified.

**SECTION 5: FIRE FIGHTING MEASURES****5.1 Extinguishing media**

Dry chemical powder. Water spray. Carbon dioxide (CO2)

**5.2 Special Hazards from the mixture**

Mixture itself does not burn but may decompose upon heating to produce fumes. Cool plastic drum, pail or tote containers which may swell or rupture upon heating.

**5.3 Advice for firefighters**

Protection from firefighting:	Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8, Exposure-controls/personal protection.
Other Information:	Avoid eye and skin contact.

HMIS: 1-0-0-C

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures****6.1.1 For non-emergency personnel**

Ensure adequate ventilation, Use personal protective equipment.

**6.1.2 For emergency responders**

Ensure adequate ventilation, Use personal protective equipment.

**6.2 Environmental precautions**

Avoid discharge into soil, water or air.

**6.3 Containment and clean up**

Methods for cleaning up:	Contain spills, cover with absorbent, carefully sweep up material and transfer to a suitable container for disposal.
--------------------------	--

Other information:	Comply with local regulations for disposal.
--------------------	---

**6.4 Reference to other sections**

Refer to section 8.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Avoid contact with skin, eye and clothing. Avoid breathing dust, mist or spray. Refer to section 8 for exposure controls.

**7.2 Conditions for safe storage, including any incompatibilities**

## Storage Condition(s):

Shelf life is two (2) years from date of manufacture.

Store tightly closed in a dry, cool and well-ventilated place.

## Incompatible materials:

No specific materials to avoid when used under normal conditions.

## Storage area:

Floors should be impenetrable, resistant to liquids and easy to clean. Keep away from heat and direct sunlight. Do not store near oxidizing agents. Store in dry, cool, well-ventilated area.

## 7.3 Specific end use(s)

Metal Finishing

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

## 8.1 Control Parameters

<b>AMINES, TERT ALKYL, ETHOXYLATED SULFATES SODIUM SALTS (72379-24-9)</b>		
USA	ACGIH - TEL	N/A
<b>BETA-NAPHTHOLETHOXYLATE (35545-57-4)</b>		
USA	ACGIH - TEL	N/A
<b>SODIUM BENZOIC ACID (532-32-1)</b>		
USA	ACGIH - TEL	N/A
<b>SODIUM ETASULFATE (126-92-1)</b>		
USA	ACGIH - TEL	N/A
<b>SULFURIC ACID (7664-93-9)</b>		
USA	ACGIH - TEL	1.0 mg/m <sup>3</sup>

## 8.2 Exposure Controls

## Exposure Controls:

Maintain employee exposures to levels below the applicable exposure limits.

## Ventilation:

Use local or general exhaust to reduce airborne exposures.

## Respiratory Protection:

Respiratory protection should not be required under normal use with proper engineering controls. A respiratory program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant use of a respirator.

## Hand Protection:

Wear chemical resistant gloves when handling any chemical product.

## Eye Protection:

Wear chemical safety glasses and/or face shield when handling chemical products.

## Skin Protection:

Wear protective clothing as appropriate.

## Other:

Launder contaminated clothing before reuse.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Medium-dark brown liquid	<b>Flammability (solid,gas):</b>	No data available
<b>Odour:</b>	No odor	<b>Explosive Limits:</b>	No data available
<b>Odour Threshold:</b>	No data available	<b>Vapor Pressure:</b>	No data available
<b>pH:</b>	10.5 - 11.5	<b>Vapour Density:</b>	No data available
<b>Melting Point:</b>	No data available	<b>Relative Density:</b>	1.04 - 1.06
<b>Solidification Point:</b>	No data available	<b>Solubility:</b>	Complete in water
<b>Boiling Point:</b>	No data available	<b>Self Ignition Temperature:</b>	No data available
<b>Flash point:</b>	No data available	<b>Decomposition Temperature:</b>	No data available
<b>Relat evapor rate comp to butylacetate:</b>	No data available	<b>Viscosity:</b>	No data available

**SECTION 10: STABILITY AND REACTIVITY**

## 10.1 Reactivity

Product is stable at normal conditions.

## 10.2 Chemical Stability

Product may not be stable under heat, moisture, pressure, or exposure to incompatible materials.

## 10.3 Possibility of hazardous reactions

Product will not undergo polymerization.

## 10.4 Conditions to avoid

Keep away from heat. Keep out of direct sunlight.

## 10.5 Incompatible materials

Product may react with strong acidic and strong basic solutions.

## 10.6 Hazardous decomposition products

Product contains materials which may decompose into oxides of nitrogen and carbon.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Toxicological effects**

<b>Acute toxicity:</b>	No known acute toxicity effects when used as directed.
<b>Skin corrosion/irritation:</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitization:</b>	No known skin sensitization affects when used as directed.
<b>Embryotoxic, Teratogenic, or Mutagenic:</b>	No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.
<b>Carcinogenicity:</b>	This product contains sulfuric acid. Strong inorganic acid (sulfuric acid) mists are considered IARC Group 1: Carcinogenic to Humans. Columbia Chemical does not consider this product to have a strong inorganic acid mist.
<b>Reproductive Toxicity:</b>	No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.
<b>Specific Target Organ Toxicity (STOT):</b>	No known Specific Target Organ Toxicity when used as directed.

**CARCINOGENS :**

<b>IARC :</b>	YES	<b>OSHA :</b>	YES
<b>NTP :</b>	YES	<b>EU :</b>	NONE

**SECTION 12: ECOLOGICAL INFORMATION**

<b>12.1 Toxicity</b>	Material should not harm aquatic life, but avoid all releases to the aquatic environment.
<b>12.2 Persistence &amp; Degradability</b>	No persistence and biodegradability data available.
<b>12.3 Bioaccumulative Potential</b>	No known bioaccumulative potential.
<b>12.4 Mobility in Soil</b>	No known mobility in soils.
<b>12.5 PBT and vPvB Assessment</b>	This product does NOT contain substances which are persistent, bioaccumulative and toxic, or substances that are very persistent or very bioaccumulative per REACH Annex XIII.
<b>12.6 Other Adverse Effects</b>	No other adverse affects known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Waste Disposal:</b>	Dispose of this material and its container to waste collection point. Disposal must be done according to official regulations. Do not empty into drain or the aquatic environment.
<b>Ecology - waste materials:</b>	Dispose of all waste in accordance with federal, state, and local regulations.

**SECTION 14: TRANSPORTATION INFORMATION**

<b>U.S. DOT (LAND)</b>	Not regulated by DOT
<b>I.A.T.A / I.C.A.O (AIR)</b>	Not regulated by IATA
<b>I.M.D.G (SEA)</b>	Not regulated by IMDG
<b>ERG Info:</b>	Not required
<b>Reportable Quantity:</b>	None
<b>Placard:</b>	Not required

<b>14.5 Environmental Hazards</b>	This mixture is not considered environmentally hazardous according to the UN Model Regulations and is not considered a marine pollutant according to the IMDG Code.
<b>14.6 Special Precautions</b>	No other special precautions are required for transport of this mixture.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, Health and Environmental Regulations.**

Classification according to Directive 1999/548/EC  
Xi; R36/38

**DPD Pictograms**

Risk and Safety Phrases:  
R36/38, S24/25, S37

INGREDIENT	CAS NUMBER	CERCLA	SARA 313	SARA 302	REACH SVHC List	ROHS 2
CAUSTIC SODA	8012-01-9	X				
SULFURIC ACID	7664-93-9	X		X		

**NATIONAL INVENTORIES:**

AICS (Australia):	Status not determined	ECN (Taiwan):	Not all components listed
DSL (Canada):	Not all components listed	NDSL (Canada):	Not all components listed
ECL (Korea):	Status not determined	NZIoC (New Zealand):	Status not determined
EINECS (Europe):	Components listed	PICCS (Philippines):	Status not determined
ENCS (Japan):	Status not determined	SWISS (Switzerland):	Not all components listed
IECSC (China):	Components listed	TSCA (USA):	Components listed

WHMIS: Components listed as CANADA WHMIS Class E - Corrosive Materials.

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this mixture by the supplier.

**SECTION 16 : OTHER INFORMATION****16.1 Method of Evaluation**

Mixture hazard classification per UN GHS Purple Book, (EC) 1272/2008 Article 9(4), OSHA Haz-Com 2012.

**16.3 Other Information**

This information is provided in good faith from current, reliable sources and is believed to be correct. No warranty is expressed, implied, or given. The seller of this material assumes no responsibility for any damages resulting from contact with this material

**16.4 Revision History**

10/8/15: Rev. S9 and 11.  
7/15/15: Rev. S5 and 11.  
5/17/15: Rev. GHS format.  
8/10/11: Rev.