

SAFETY DATA SHEET **EXTREME BRIGHTENER 211**

411680

SECTION 1: COMPANY AND MIXTURE IDENTIFICATION

1.1 Product Name: **EXTREME BRIGHTENER 211**

1.2 Product Type and Use: Metal Finishing Additive

1.3 Manufacturer:

Columbia Chemical Corp. 1000 Western Drive Brunswick, OH, 44212

330-225-3200

eh&s@columbiachemical.com

1.4 Emergency Telephone Numbers CHEMTEL

US & CANADA 800-255-3924 INTERNATIONAL 01-813-248-0585 Only Representative:

Intertek France

Campus Industrial Grand Chalon Route de Demigny Chalon Sur Saone France, 71102

T: +33 (0) 385 99 1280

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the mixture according to GHS (EC 1272 -2008)

Skin Irrit. 2, H315 Eye Irrit. 2, H319

2.2 GHS Pictograms and H/P Statements



Signal Word: WARNING

Hazard and Precautionary Statements:

H315: Causes skin irritation

P264: Wash thoroughly after handling.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P332+P313: If skin irritation ocurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse.

2.3 Additional Information:

None

H319: Causes serious eye irritation

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313: If eye irritation persists: Get medical advice/attention.

EXTREME BRIGHTENER 211 Page 2 of 5

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ORGANIC SOLVENT	CAS no. T.S. EC no. 203-905-0 Reach no. Low volume exemption.	< 8%	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
AROMATIC ALDEHYDE	CAS no. T.S. EC no. 201-956-3 Reach no. Low volume exemption. JCSL no. 3-1162	< 8%	Skin Corr. 1B, H314
AMINES, TERT ALKYL, ETHOXYLATED SULFATES SODIUM SALTS	CAS no. 72379-24-9 EC no. None Reach no. Low volume exemption JCSL no. 7-77	< 8%	Eye Irrit. 2, H319
ALIPHATIC AMINE	CAS no. T.S. EC no. 205-483-3 Reach no. Low volume exemption JCSL no. 2-301	< 5%	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Corr. 1B, H314
SODIUM BENZOIC ACID	CAS no. 532-32-1 EC no. 208-534-8 Reach no. Low volume exemption. JCSL no. 3-1293, 3-1272, 3-1076	< 2%	Eye Irrit. 2, H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: Rinse under running water for several minutes.

Skin Contact: Flush exposed area with running water for a few minutes.

Inhalation: Move exposed individual to fresh air.

Ingestion: Provide two glasses of water if victim is conscious and get medical attention. Never give anything by

mouth to an unconscious person.

4.2 Important symptons and effect

acute and delayed

5.3 Advice for firefighters

Symptoms/Injuries: May cause serious eye or skin irritation.

Symptoms/injuries after inhalation: In case of inhalation remove to fresh air. If symptoms persist get medical attention.

Symptoms/injuries after skin contact: May cause skin irritation to some individuals. Symptoms might include redness or irritation.

Symptoms/injuries after eye contact: May cause serious eye irritation.

SymptomsInjuries after ingestion: Possible irritation to mouth, throat and esophagus.

4.3 Indication of any immediate medical attention

and special treatment needed

No immediate medical attention or special treatment should be required while using this product as

specified.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media Dry chemical powder. Water spray. Carbon dioxide (CO2)

5.2 Special Hazards from the mixtureMixture itself does not burn but may decompose upon heating to produce fumes. Cool

plastic drum, pail or tote containers which may swell or rupture upon heating. Use personal protective equipment as described in section (8) of the MSDS.

Protection from firefighting: Use self-contained breathing apparatus and chemically protective clothing. For further

information refer to section 8, Exposure-controls/personal protection.

Other Information: Avoid eye and skin contact.

HMIS: 1-0-0-D

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment

and emergency procedures

6.1.1 For non-emergency personnelEnsure adequate ventilation, Use personal protective equipment. **6.1.2 For emergency responders**Ensure adequate ventilation, Use personal protective equipment.

6.2 Environmental precautions Avoid discharge into soil, water or air.

6.3 Containment and clean up

Methods for cleaning up: Contain spills, cover with absorbent, carefully sweep up material and transfer to a suitable container

for disposal.

Other information: Comply with local regulations for disposal.

6.4 Reference to other sections Refer to section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eye and clothing. Avoid breathing dust, mist or spray. Refer to section 8 for

exposure controls.

7.2 Conditions for safe storage, including any incompatibilities

Storage Condition(s):

Shelf life is two (2) years from date of manufacture.

EXTREME BRIGHTENER 211 Page 3 of 5

Store tightly closed in a dry, cool and well-ventilated place.

Incompatible materials: No specific materials to avoid when used under normal conditions.

Storage area: Floors should be impenetrable, resistant to liquids and easy to clean. Keep away from heat and direct

sunlight. Do not store near oxidizing agents. Store in dry,cool, well-ventilated area.

Metal Finishing

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

7.3 Specific end use(s)

ALIPHATIC AMINE (T.S.) USA	ACGIH - TEL	8 mg/m3	
AMINES, TERT ALKYL, ETHOXYLATED USA	O SULFATES SODIUM SALTS (723 ACGIH - TEL	79-24-9) N/A	
AROMATIC ALDEHYDE (T.S.) USA	ACGIH - TEL	N/A	
ORGANIC SOLVENT (T.S.) USA	ACGIH - TEL	24 mg/m3	
SODIUM BENZOIC ACID (532-32-1) USA	ACGIH - TEL	N/A	

8.2 Exposure Controls

Exposure Controls: Maintain employee exposures to levels below the applicable exposure limits.

Ventilation: Use local or general exhaust to reduce airborne exposures.

Respiratory Protection: To reduce exposure a NIOSH-approved respirator should be used.

Hand Protection: Wear chemical resistant rubber gloves.

Eye Protection: Wear chemical safety glasses and/or face shield.

Skin Protection:Wear protective clothing as appropriate.Other:Launder contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic phyiscal and chemical properties

Clear yellow liquid Appearance: Flammability (solid,gas): No data available Odour: Slight odor **Explosive Limits:** No data available **Odour Threshhold:** No data available Vapor Pressure: No data available pH: 9.5 - 12.0 Vapour Density: No data available 1.025 - 1.045 Melting Point: No data available Relative Density: **Solidification Point:** No data available Solubility: Complete in water **Boiling Point:** No data available Self Ignition Temperature: No data available Flash point: No data available **Decomposition Temperature:** No data available No data available Viscosity: No data available Relat evapor rate comp to butylacetate:

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Product is stable at normal conditions.

10.2 Chemical Stability Product is stable under normal conditions only. Product may not be stable under heat, moisture, pressure

ventilation or exposure to incompatible or reactive materials.

10.3 Possibility of hazardous reactions Product will not undergo polymerization.

10.4 Conditions to avoid Keep away from heat. Keep out of direct sunlight.

10.5 Incompatible materials Product may react with strong acidic and strong basic solutions.

10.6 Hazardous decomposition products Product contains some organic materials which may decompose into oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

EXTREME BRIGHTENER 211 Page 4 of 5

11.1 Toxicological effects

Acute toxicity: No known acute toxicity effects when used as directed.

Skin corrosion/irritation: May cause some skin irritation.

sensitization:

Respiratory or skin No known respiratory or skin sensitization affects when used as directed.

Embryotoxic, Teratogenic,

or Mutagenic: Carcinogenicity:

Product contains no components listed by IARC, NTP, EU and OSHA as a carcinogen or

suspect carcinogen.

Reproductive or Gonadotoxicity: Specific target organ toxicity (sinige exposure):

None. None.

CARCINOGENS:

IARC: NONE OSHA: NONE NONE NTP: EU: NONE

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Material should not harm aquatic life, but avoid all releases to the aquatic environment.

12.2 Persistence & Degradability

No persistence and biodegradability data available.

12.3 Bioaccumulative Potential

No known bioaccumalative potential. No known mobility in soils.

12.4 Mobility in Soil 12.5 PBT and vPvB Assessment

12.6 Other Adverse Effects

This product does NOT contain substances which are persistent, bioaccumulative and toxic, or substances

that are very persistent or very bioaccumulative per REACH Annex XIII.

No other adverse affects known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal: Dispose of this material and its container to waste collection point. Disposal must be done according to official

regulations. Do not empty into drain or the aquatic environment.

Ecology - waste materials: Dispose of all waste in accordance with federal, state, and local regulations.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT (LAND) Not regulated by DOT

I.A.T.A / I.C.A.O (AIR) Not regulated by IATA

Not regulated by IMDG I.M.D.G (SEA)

ERG Info: Not Required.

Reportable Quantity: None

Not Required. Placard:

14.5 Environmental Hazards This mixture is not considered environmentally hazardous according to the UN Model Regulations and is not

considered a marine pollutant according to the IMDG Code.

14.6 Special Precautions No other special precautions are required for transport of this mixture.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations.

Classification according to Directive 1999/548/EC

Xi; R36/38

DPD Pictograms



Risk and Safety Phrases: Xi; R36/38, S26, S41.

REACH **INGREDIENT** CAS NUMBER **CERCLA SARA 313 SARA 302** ROHS 2 **SVHC List**

EXTREME BRIGHTENER 211 Page 5 of 5

NATIONAL INVENTORIES:

AICS (Australia): Status not determined ECN (Taiwan): Not all components listed DSL (Canada): Components listed NDSL (Canada): Not all components listed ECL (Korea): Status not determined NZIoC (New Zealand): Components listed EINECS (Europe): Components listed PICCS (Philippines): Status not determined ENCS (Japan): Components listed SWISS (Switzerland): Not all components listed IECSC (China): TSCA (USA): Components listed Components listed

WHMIS: Components listed as CANADA WHMIS Class E/B3 - Corrosive Material/ Combustible

Material.

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this mixture by the supplier.

SECTION 16: OTHER INFORMATION

16.1 Method of Evaluation

Mixture hazard classification per UN GHS Purple Book, (EC) 1272/2008 Article 9(4), OSHA Haz-Com 2012.

16.3 Other Information

This information is provided in good faith from current, reliable sources and is believed to be correct. No warranty is expressed, implied, or given. The seller of this material assumes no responsibility for any damages resulting from contact with this material

16.4 Revision History 6/7/15: Rev. GHS format.

3/1/08: Rev. Address.