

SAFETY DATA SHEET EXTREME CARRIER 210

410420

SECTION 1: COMPANY AND MIXTURE IDENTIFICATION

1.1 Product Name: EXTREME CARRIER 210

1.2 Product Type and Use: Metal Finishing Additive

1.3 Manufacturer:Columbia Chemical Corp.

1000 Western Drive Brunswick, OH, 44212

330-225-3200

eh&s@columbiachemical.com

Campus industrial Gr

Campus Industrial Grand Chalon Route de Demigny Chalon Sur Saone

Only Representative:

Intertek France

France, 71102 T: +33 (0) 385 99 1280

1.4 Emergency Telephone Numbers CHEMTEL

US & CANADA 800-255-3924

INTERNATIONAL 01-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the mixture according to GHS (EC 1272 -2008)

Eye Irrit. 2A, H319

2.2 GHS Pictograms and H/P Statements



Hazard and Precautionary Statements:

H319: Causes serious eye irritation

P264: Wash thoroughly after handling.

 ${\sf P302+P352:\ IF\ ON\ SKIN:\ Wash\ with\ plenty\ of\ soap\ and\ water.}$

P337+P313: If eye irritation persists: Get medical advice/attention.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P362: Take off contaminated clothing and wash before reuse.

2.3 Additional Information:

None

EXTREME CARRIER 210 Page 2 of 5

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
BETA-NAPTHOLETHOXYLATE	CAS no. 35545-57-4 EC no. 609-139-7 Reach no. Low volume exemption JCSL no. 7-168	< 10%	Acute Tox. 4, H302	
AMINES, TERT ALKYL, ETHOXYLATED SULFATES SODIUM SALTS	CAS no. 72379-24-9 EC no. None Reach no. Low volume exemption JCSL no. 7-77	< 8%	Eye Irrit. 2, H319	
SODIUM BENZOIC ACID	CAS no. 532-32-1 EC no. 208-534-8 Reach no. Low volume exemption. JCSL no. 3-1293, 3-1272, 3-1076	< 3 %	Eye Irrit. 2, H319	
SODIUM ETASULFATE	CAS no. 126-92-1 EC no. 204-812-8 Reach no. Low volume exemption JCSL no. 2-2840, 2-1679	< 2%	Skin Irrit. 2; H315 Eye Irrit. 2, H319	
SULFURIC ACID	CAS no. 7664-93-9 EC no. 231-639-5 Reach no. Low volume exemption JCSL no. 1-430	< 1%	Skin Corr. 1A, H314	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: Rinse under running water for several minutes.

Skin Contact: Flush exposed area with running water for a few minutes.

Inhalation: Move exposed individual to fresh air.

Ingestion: Provide two glasses of water if victim is conscious and get medical attention. Never give anything by

mouth to an unconscious person.

4.2 Important symptons and effect

acute and delayed

Symptoms/Injuries: Causes serious eye irritation.

Symptoms/injuries after inhalation: In case of inhalation remove to fresh air. If symptoms persist get medical attention.

Symptoms/injuries after skin contact: May cause skin irritation to some individuals with symptoms including redness or irritation.

Symptoms/injuries after eye contact: Causes serious eye irritation.

SymptomsInjuries after ingestion: May be harmful if swallowed. Symptoms include nausea and possible irritation to mouth, throat

and esophagus.

4.3 Indication of any immediate medical attention

and special treatment needed

No immediate medical attention or special treatment should be required while using this product as

specified.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media Dry chemical powder. Water spray. Carbon dioxide (CO2)

5.2 Special Hazards from the mixtureMixture itself does not burn but may decompose upon heating to produce fumes. Cool plastic drum, pail or tote containers which may swell or rupture upon heating.

5.3 Advice for firefighters

Use personal protective equipment as described in section (8) of the MSDS.

Protection from firefighting: Use self-contained breathing apparatus and chemically protective clothing. For further

information refer to section 8, Exposure-controls/personal protection.

Other Information: Avoid eye and skin contact.

HMIS: 1-0-0-C

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment

and emergency procedures

6.1.1 For non-emergency personnelEnsure adequate ventilation, Use personal protective equipment. **6.1.2 For emergency responders**Ensure adequate ventilation, Use personal protective equipment.

6.2 Environmental precautions Avoid discharge into soil, water or air.

6.3 Containment and clean up

Methods for cleaning up: Contain spills, cover with absorbent, carefully sweep up material and transfer to a suitable container

for disposal.

Other information: Comply with local regulations for disposal.

6.4 Reference to other sections Refer to section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eye and clothing. Avoid breathing dust, mist or spray. Refer to section 8 for

exposure controls.

7.2 Conditions for safe storage, including any incompatibilities

EXTREME CARRIER 210 Page 3 of 5

Storage Condition(s):

Shelf life is two (2) years from date of manufacture.

Store tightly closed in a dry, cool and well-ventilated place.

Incompatible materials: No specific materials to avoid when used under normal conditions.

Storage area: Floors should be impenetrable, resistant to liquids and easy to clean. Keep away from heat and direct

sunlight. Do not store near oxidizing agents. Store in dry,cool, well-ventilated area.

7.3 Specific end use(s) Metal Finishing

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

AMINES, TERT ALKYL, ETHOXYLATED SULFA	ATES SODIUM SALTS (72379-24-9) ACGIH - TEL	N/A
BETA-NAPTHOLETHOXYLATE (35545-57-4) USA	ACGIH - TEL	N/A
SODIUM BENZOIC ACID (532-32-1) USA	ACGIH - TEL	N/A
SODIUM ETASULFATE (126-92-1) USA	ACGIH - TEL	N/A
SULFURIC ACID (7664-93-9) USA	ACGIH - TEL	1.0 mg/m3

8.2 Exposure Controls

Exposure Controls: Maintain employee exposures to levels below the applicable exposure limits.

Ventilation: Use local or general exhaust to reduce airborne exposures.

Respiratory Protection: Respiratory protection should not be required under normal use with proper engineering controls. A

respiratory program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed if

workplace conditions warrant use of a respirator.

Hand Protection: Wear chemical resistant gloves when handling any chemical product.

Eye Protection: Wear chemical safety glasses and/or face shield when handling chemical products.

 Skin Protection:
 Wear protective clothing as appropriate.

 Other:
 Launder contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic phyiscal and chemical properties

Medium-dark brown liquid Flammability (solid,gas): No data available Appearance: No data available Odour: No odor **Explosive Limits: Odour Threshhold:** No data available Vapor Pressure: No data available 10.5 - 11.5 No data available pH: Vapour Density: **Melting Point:** No data available Relative Density: 1.04 - 1.06 **Solidification Point:** No data available Solubility: Complete in water **Boiling Point:** No data available Self Ignition Temperature: No data available Flash point: No data available **Decomposition Temperature:** No data available Relat evapor rate comp to butylacetate: No data available Viscosity: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Product is stable at normal conditions.

10.2 Chemical Stability
Product may not be stable under heat, moisture, pressure, or exposure to incompatible materials.

10.3 Possibility of hazardous reactions Product will not undergo polymerization.

10.4 Conditions to avoid Keep away from heat. Keep out of direct sunlight.

10.5 Incompatible materials Product may react with strong acidic and strong basic solutions.

10.6 Hazardous decomposition products Product contains materials which may decompose into oxides of nitrogen and carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

EXTREME CARRIER 210 Page 4 of 5

11.1 Toxicological effects

Acute toxicity: No known acute toxicity effects when used as directed.

Skin corrosion/irritation: Product should not be irritating to skin when used as directed. No known skin sensitization affects when used as directed.

Respiratory or skin sensitization:

Embryotoxic, Teratogenic,

or Mutagenic: Carcinogenicity: No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.

This product contains trace sulfuric acid. Some strong inorganic acid (sulfuric acid) mists are

considered IARC Group 1: Carcinogenic to Humans. Columbia Chemical does not consider this product to have a strong inorganic acid mist.

Reproductive Toxicity: No components identified at 0.1% or greater as causing Reproductive or Gonadotoxic effects.

Specific Target Organ Toxicity (STOT):

No known Specific Target Organ Toxicity when used as directed.

CARCINOGENS:

IARC: YES OSHA: YES YES NTP: EU: NONE

SECTION 12: ECOLOGICAL INFORMATION

Material should not harm aquatic life, but avoid all releases to the aquatic environment. 12.1 Toxicity

12.2 Persistence & Degradability

No persistence and biodegradability data available. No known bioaccumalative potential.

12.3 Bioaccumulative Potential 12.4 Mobility in Soil

No known mobility in soils.

12.5 PBT and vPvB Assessment

This product does NOT contain substances which are persistent, bioaccumulative and toxic, or substances

that are very persistent or very bioaccumulative per REACH Annex XIII.

No other adverse affects known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

12.6 Other Adverse Effects

Waste Disposal: Dispose of this material and its container to waste collection point. Disposal must be done according to official

regulations. Do not empty into drain or the aquatic environment.

Dispose of all waste in accordance with federal, state, and local regulations. **Ecology - waste materials:**

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT (LAND) Not regulated by DOT

I.A.T.A / I.C.A.O (AIR) Not regulated by IATA

I.M.D.G (SEA) Not regulated by IMDG

ERG Info: Not required.

Reportable Quantity: None

Placard: Not required

14.5 Environmental Hazards This mixture is not considered environmentally hazardous according to the UN Model Regulations and is not

considered a marine pollutant according to the IMDG Code.

14.6 Special Precautions No other special precautions are required for transport of this mixture.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations.

Classification according to Directive 1999/548/EC

Xi; R36/38

DPD Pictograms



Risk and Safety Phrases: R36/38, S24/25, S37

EXTREME CARRIER 210 Page 5 of 5

INGREDIENT	CAS NUMBER	CERCLA	SARA 313	SARA 302	REACH SVHC List	ROHS 2
CAUSTIC SODA	8012-01-9	X				
SULFURIC ACID	7664-93-9	X		X		

NATIONAL INVENTORIES:

AICS (Australia): Status not determined ECN (Taiwan): Not all components listed NDSL (Canada): DSL (Canada): Not all components listed Not all components listed NZIoC (New Zealand): ECL (Korea): Status not determined Status not determined EINECS (Europe): Components listed PICCS (Philippines): Status not determined ENCS (Japan): Status not determined SWISS (Switzerland): Not all components listed IECSC (China): Components listed TSCA (USA): Components listed

WHMIS: Components listed as CANADA WHMIS Class E - Corrosive Materials.

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this mixture by the supplier.

SECTION 16: OTHER INFORMATION

16.1 Method of Evaluation

Mixture hazard classification per UN GHS Purple Book, (EC) 1272/2008 Article 9(4), OSHA Haz-Com 2012.

16.3 Other Information

This information is provided in good faith from current, reliable sources and is believed to be correct. No warranty is expressed, implied, or given. The seller of this material assumes no responsibility for any damages resulting from contact with this material

16.4 Revision History 10/8/15: Rev. S9.

6/3/15: Rev. GHS format. 3/1/08 Rev. address.